

# PINDONE

## WARNING

May be harmful if swallowed causing damage to organs. Toxic to aquatic life.

## PRECAUTIONS:

Keep out of reach of children.  
Do not breathe the dust. Wear overalls and waterproof gloves when applying bait.  
Wash hands and exposed skin after use and before meals and after work.  
Do not eat, drink or smoke while using this product. Store locked up in original packaging, away from foodstuffs and animals. Avoid contamination of any water supply with baits or empty packaging. Dispose of empty packaging safely, e.g. to landfill.

## ACTIVE INGREDIENT:

Contains 0.5 g/kg Pindone  
In the form of a bait

# PELLETS

# FOR THE CONTROL OF POSSUMS & RATS



Andrew Freeth  
Acting Manager (Approvals Operations)



Registered pursuant to the  
ACVM Act 1997: No. V4396  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz)  
for registration conditions.

Approved substance under  
the HSNO Act 1997:  
HSR001604  
See [www.epa.govt.nz](http://www.epa.govt.nz) for  
Controls.

Hazard Classifications: 6.9B,  
9.1D

Batch Number:

Expiry date:

NET CONTENTS: 2 kg 10 kg or  
25 kg

# PINDONE PELLETS

## FOR THE CONTROL OF POSSUMS AND RATS

### WARNING

### KEEP OUT OF REACH OF CHILDREN

### FIRST AID:

If exposed or if you feel unwell: Contact the National Poisons Centre, telephone 0800 POISON (0800 764 766) or a doctor immediately.

### STOCK and DOMESTIC ANIMALS:

Ensure livestock and domestic animals cannot access baits. Do not return stock to treated areas until 4 weeks after laying the Pindone Pellet bait.. Where practical minimize non-target animals from consuming poisoned carcasses either by collecting carcasses and disposing then by burning or burying below 500 mm of soil (wherever feasible), or by limiting their access to the baiting site until carcasses are unlikely to be edible or contain residues.

### TREATMENT OF DOMESTIC ANIMALS:

Vitamin K1 is an effective antidote against accidental poisoning of domestic animals by Pindone.

### DIRECTIONS FOR USE:

Apply 3 to 4 kilograms of pellets per hectare per feed. Two feeds are required, four days apart.

Through the area where possums or rats are being targeted; lightly broadcast pellets by hand or air.

### By Law

1. The product must be sold only to or used by a person holding a Controlled Substance License issued by a Test Certifier who has been approved.
2. This product must only be used as specified on the label.
3. Signs must be posted in public areas to notify members of the public that this product has been applied in the area—see conditions set under relevant legislation for more details.
4. If the product is applied aerially public notification is required—see the conditions set under relevant legislation for more details.

Note: Additional permissions may be required depending on the method of use and location of the product.



Registered and Distributed in New Zealand by: KEY Industries Ltd. 3/44L Constellation Drive, PO Box 65-070 Mairangi Bay, Auckland 0754

Phone (09) 917-1791 Fax (09) 917-1793 Website [www.keyindustries.co.nz](http://www.keyindustries.co.nz) Email [sales@keyindustries.co.nz](mailto:sales@keyindustries.co.nz)

# PINDONE PELLETS POSSUMS & RATS

## WARNING

May be harmful if swallowed causing damage to organs. Toxic to aquatic life.

## PRECAUTIONS:

Keep out of reach of children.

Do not breathe the dust. Wear overalls and waterproof gloves when applying bait. Wash hands and exposed skin after use and before meals and after work.

Do not eat, drink or smoke while using this product. Store locked up in original packaging, away from foodstuffs and animals. Avoid contamination of any water supply with baits or empty packaging. Dispose of empty packaging safely, e.g. to landfill.

## ACTIVE INGREDIENT:

Contains 0.5 g/kg Pindone

In the form of a bait

Registered pursuant to the  
ACVM Act 1997: No. V4396  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz)  
for registration conditions.

Approved substance under  
the HSNO Act 1997:  
HSR001604


See [www.epa.govt.nz](http://www.epa.govt.nz) for  
Controls.

Hazard Classifications: 6.9B,  
9.1D

**For Use In Bait Stations Only For The Control Of Possums & Rats**

Batch Number:

Expiry date:



NET CONTENTS:

*Maree Zinzley*  
Maree Zinzley  
Manager (Approvals Operations)

# PINDONE PELLETS – POSSUMS & RATS

## WARNING –KEEP OUT OF REACH OF CHILDREN

### FIRST AID:

If exposed or if you feel unwell: Contact the National Poisons Centre, telephone 0800 POISON (0800 764 766) or a doctor immediately.

### STOCK and DOMESTIC ANIMALS:

Ensure livestock and domestic animals cannot access baits. Do not return stock to treated areas until all baits have been removed from the area. Where practical minimize non-target animals from consuming poisoned carcasses either by collecting carcasses and disposing then by burning or burying below 500 mm of soil (wherever feasible), or by limiting their access to the baiting site until carcasses are unlikely to be edible or contain residues.

### TREATMENT OF DOMESTIC ANIMALS:

Vitamin K1 is an effective antidote against accidental poisoning of domestic animals by Pindone.

R

## DIRECTIONS FOR USE:

**POSSUMS:** Use bait stations placed out of the reach of stock and refill at four day intervals maintaining an uninterrupted supply. Bait stations should be placed along bush borders at intervals of no more than 100 metres and preferably at 50 metre intervals. In bush situations bait stations should be placed at 100 metre intervals. Stations should be sited in all areas of possum sign, e.g. scratchings and droppings, near den sites and preferred food sources, and at the foot of leading ridges where possums prefer to travel and bush/pasture margins. Ideally a suitable bait station will have the ability to hold 2 kilograms of pellets.

**RATS:** Bait stations should be placed at intervals of no more than 100 metres and preferably at 50 metre intervals.

**Low infestation:** Place 150 grams into a bait station and maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**Medium to high infestations:** Place 1 to 2 kilograms into a suitable tamper-resistant rat bait station and maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

NOPESTS Multifeeder and Pied Piper bait stations are suitable for use when baiting with pellets and are available from Key Industries Ltd.

Registered and Distributed in New Zealand by: KEY Industries Ltd. 3/44L Constellation Drive, PO Box 65-070 Mairangi Bay, Auckland 0754

Phone (09) 917-1791 Fax (09) 917-1793 Website [www.keyindustries.co.nz](http://www.keyindustries.co.nz) Email [sales@keyindustries.co.nz](mailto:sales@keyindustries.co.nz)

## By Law

1. The product must only be used in bait stations.
2. This product must only be used as specified on the label.

