



BATCH NO.
EXPIRY DATE:
MANUFACTURE DATE:

NET: 500 g or
4.5 kg or
10 kg or
7.2 kg as Strikers (18 g x
400) or
10 kg as Biobags (20 g x
500) or
10 kg as Defenders (100 g
x 100)

BAR CODE

EPA Register: HSR
100557
HSNO Classifications:
6.1 C (inhalation) 6.1 D
(oral), 6.8B, 6.9B, 9.1B,
9.3C
Refer www.epa.govt.nz for
Controls

Registered pursuant to the
Act 1997 No. V9524 See
for www.foodsafety.govt.nz
for registration conditions

DANGER

Keep out of reach of children and pets

Read label before use

ZaP Possum Paste

FOR THE CONTROL OF POSSUMS

Contains 15g/kg zinc phosphide in the form of a bait

WARNING: Toxic if swallowed. *ZaP Possum Paste* reacts with acids or water to produce the toxic gas, phosphine. Odour does not provide an adequate warning of dangerous phosphine concentrations. Inhalation of phosphine can cause severe toxic effects and may have delayed onset. Potential risk of secondary poisoning of others may occur from gas emitted from a person or animal who has consumed zinc phosphide. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life.

PRECAUTIONS: *ZaP Possum Paste* is to be under the control of an Approved Handler and holder of a Controlled Substance Licence (CSL). Do not open where ventilation is insufficient. Avoid breathing any vapours. Keep *ZaP Possum Paste* dry until laid. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Prevent access to bait by non-target domestic animals, wildlife, and livestock.

DIRECTIONS FOR USE: Must only be used in bait stations or bait bags. *ZaP Possum Paste* is a single-feed poison. Pre-feeding before laying bait is strongly recommended. Remove all pre-feed when laying toxic bait.

When using reusable bait stations, lay in lines up to 150m apart and up to 150 m apart along these lines to cover the target area. Use bait take from prefeeding to determine how much toxic bait to place in each station. Where pre-feeding is not practical allow approximately 300g of bait per station.

When using single use bait stations (e.g. Strikers, Defenders or bait bags) lay in lines at between 5m and 100 m intervals, depending on possum numbers. Bait take from prefeeding can provide an indication of the size of the possum population.. Use approximately 20g of bait in bait bags or 18g of bait in strikers when these



Maree Zinzley
Manager Approvals Operations
Regulation and Assurance

have not been purchased prefilled.

Within 1 month of the final application of *ZaP Possum Paste*, recover and bury any untaken bait and disposable bait stations to a depth of at least 60 cm on site. Clean reusable bait stations of all residues before transporting off-site.

SYMPTOMS OF POISONING: Early symptoms are a garlic odour on the breath, abdominal pain, cough, headache and dizziness. This is followed by laboured breathing, nausea, vomiting and diarrhoea; then fatigue, ataxia, shallow breathing and unconsciousness.

FIRST AID: In the event of poisoning or suspected poisoning, act immediately. If person shows signs of symptoms, isolate from any source of contamination such as contaminated clothing or bait material. Rinse mouth. Call a doctor or take to nearest hospital without delay. Show this label or Safety Data Sheet. If contacted with skin or eyes wash with copious amounts of water. If you feel unwell or are concerned, get medical advice. For advice, contact National Poisons Centre 0800 POISON (0800 764 766).

STORAGE: Store in original packaging tightly closed until used. Do not expose to moisture or acids. Any product held after the expiry date shown on the container should be disposed of according to the disposal directions.

SPILLAGE: In the event of a spill, isolate the spill area and take all practical steps to manage any harmful effects. Scoop up spilled bait into secure labelled containers. Do not use water to clean up spilled baits. In the event of a major spill, refer to safety data sheet. Undamaged bait may be re-used if used straight way. Prevent spilt bait entering streams or waterways.

DISPOSAL: Dispose of unwanted or expired product either by burying under at least 60 cm of damp biologically active soil or transfer to an approved disposal facility. DO NOT use the empty container for any other purpose. Dispose of container by transfer to an approved disposal facility.

LEGAL OBLIGATIONS:

This product must only used in accordance with the label. Users must also meet the mandatory requirements of ACVM conditions of registration and HSNO controls (www.epa.govt.nz), including notification and signage requirements.

REGISTERED TO PEST-TECH LTD, PO BOX 40, LEESTON 7656
MANUFACTURED AND DISTRIBUTED BY CONNOVATION LIMITED, 36B SIR WILLIAM



DRIVE, EAST TAMAKI, AUCKLAND. PO Box 58 613, BOTANY, AUCKLAND 2163, TEL (09)
273 4333; www.connovation.co.nz



STRIKER

DANGER

KEEP OUT OF REACH OF CHILDREN

Refer to outer packaging for
directions for use
ACVM No. V9524



ZaP Possum Paste

Contains 15g/kg zinc
phosphide in 18 g paste

AVAILABLE ONLY TO PERSONS
WITH CONTROLLED
SUBSTANCE LICENSE
In case of poisoning:
Seek medical attention
without delay
National Poisons Centre:
Tel 0800 764 766



BIOBAG

DANGER

KEEP OUT OF REACH OF CHILDREN
Refer to outer packaging for directions for use
ACVM No. V9524



ZaP Possum Paste

Contains 15g/kg zinc phosphide in 20 g paste

**AVAILABLE ONLY TO PERSONS WITH CONTROLLED
SUBSTANCE LICENSE**

**In case of poisoning:
Seek medical attention without delay
National Poisons Centre:
Tel 0800 764 766**



DEFENDER

DANGER

KEEP OUT OF REACH OF CHILDREN

Refer to outer packaging for
directions for use

ACVM No. V9524



ZaP Possum Paste

Contains 15g/kg zinc
phosphide in 100 g paste

AVAILABLE ONLY TO PERSONS
WITH CONTROLLED
SUBSTANCE LICENSE
In case of poisoning:
Seek medical attention
without delay
National Poisons Centre:
Tel 0800 764 766



